

SUPPLEMENT TO

The Gazette of India



सत्यमेव जयते

No. 21] NEW DELHI, SATURDAY, MAY 25, 1957/JYAISTHA 4, 1879

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 27th April, 1957

CHOLERA								SMALLPOX								PLAGUE							
C.				D.				C.				D.				C.				D.			
Andhra Pradesh								Bombay—contd.															
"M. R."								Surat															
TOTAL								Ahmednagar															
Total for w/e 20-4-57								East Khandesh															
Total for w/e 13-4-57								Nasik															
Assam								Poona															
Golpara								Ratnagiri															
Kamrup								Sholapur															
TOTAL								Thana															
Total for w/e 20-4-57								West Khandesh															
Total for w/e 13-4-57								Amravati															
Bihar								Bhandara															
"N.R."								Buldhana															
TOTAL								Chanda															
Total for w/e 20-4-57								Nagpur															
Total for w/e 13-4-57								Kutch															
Bombay								Zalawad															
Greater Bombay								Sabarkantha															
Ahmedabad								Kolhapur															
Amreli								TOTAL															
Banaskantha								Total for w/e 20-4-57															
Baroda								Total for w/e 13-4-57															
Broach								Delhi															
Kaira								"N.R."															
Mehsana								TOTAL															
Panch Mahals								Total for w/e 20-4-57															
								Total for w/e 13-4-57															

Explanation of symbols used:— C.—Cases ; D.—Deaths ; ..—Nil; "N.R."—Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 27th April, 1957--*contd.*

CHOLERA								CHOLERA							
SMALLPOX				PLAGUE				SMALLPOX				PLAGUE			
C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
Himachal Pradesh								Manipur							
Sirmur	1	TOTAL
TOTAL	1	Total for w/e 20-4-57	2	1
Total for w/e 20-4-57	1	Total for w/e 13-4-57
Total for w/e 13-4-57	Mysore							
Kerala								Bangalore	33	7
Trivandrum	4	3	Chitaldrug	4	1
Quilon	14	4	Kolar	20	4
Trichur	2	2	Mandya	4
Malabar	10	2	Shrimoga	3
TOTAL	30	11	Tumkur	3
Total for w/e 20-4-57	20	6	Bellary	7	3
Total for w/e 13-4-57	22	5	Gulbarga	41	16
Madhya Pradesh								Raichur	6
"N.R."								Belgaum	1
TOTAL	Bijapur	34	9	1	1	..
Total for w/e 20-4-57	Coorg	3	3
Total for w/e 13-4-57	TOTAL	75	25	85	19
Madras								Total for w/e 20-4-57	78	6
Madras City	54	17	Total for w/e 13-4-57	107	29
Chingleput	25	2	Orissa							
South Arcot	50	11	Cuttack	5	2	31	2	..
Tiruchirappalli	320	156	12	1	Balasore	1	1	21	1	..
Tanjore	5	3	17	10	Puri	6	2	50	18	..
Madurai	29	7	Sambalpur	11
Ramanathapuram	15	4	Ganjam	35	13	..
Tirunelveli	4	3	1	Mayurbhanj	6	6	14	2	..
North Arcot	13	5	Dhenkanal	1	1	35	2	..
Salem	29	19	30	8	Keonjhar	2
Coimbatore	48	13	Kalahandi	29
Kanya Kumari	8	3	TOTAL	21	12	226	38
TOTAL	358	181	302	81	Total for w/e 20-4-57	19	11	240	18
Total for w/e 20-4-57	485	194	340	88	Total for w/e 13-4-57	32	15	152	21
Total for w/e 13-4-57	81	33	343	98								

Explanation of symbols used:— C= Cases ; D=Deaths; ..=Nil. ; "N.R." Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 27th April, 1957—*contd.*

		CHOLERA		SMALLPOX		PLAGUE				CHOLERA		SMALLPOX		PLAGUE		
		C	D.	C.	D.	C.	D.	—		C.	D.	C.	D.	C.	D.	
Pondicherry								Uttar Pradesh—contd.								
TOTAL	14	12	Hathras	4	
Total for w/c 20-4-57		9	9	Kanpur	2	1	..		
Total for w/c 13-4-57		25	9	Jhansi		30	4	
Punjab								Lucknow	2	1
Rohtak	1	1	Mainpuri	1		
Jullundhar	1	Mathura	2	1	
Ferozepur	4	Meerut	1		
Amritsar	1	Muzaffarnagar.	3		
TOTAL	7	1	Rae Bareli	12	5	
Total for w/c 20-4-57		2	1	Banaras	.	.	.	2		
Total for w/c 13-4-57		5	1	TOTAL		2	..	107	20	
Rajasthan								Total for w/c 20-4-57		93	19	
"N.R."								Total for w/c 13-4-57		N.R.	..			
Tripura								West Bengal.								
TOTAL		2	1	2	1	.	..	Burdwan	.	.	2	..	35	9
Total for w/c 20-4-57		6	..	2	Birbhum	6	1	.	
Total for w/c 13-4-57		4	2	5	Bankura	19	3	.	..
Uttar Pradesh								Midnapur			3	..	65	19
Agra	5	Hooghly	.	.	2	2	56	18	..	
Allahabad	10	1	.	..	Howrah	.	.	89	29	163	115
Azamgarh	4	24-Paraganas	.		64	27	127	56
Banda	.	.	.	2	2	Calcutta	.		47	18	188	138
Bulandshahr	5	Nadia	16	9	..	
Etawah	4	Murshidabad	105	48
Fatehpur	1	West Dinajpur	2	2
Faizabad	4	1	Jalpaiguri	8	2
Garhwal	7	1	Malda		72	29
Ghazipur	5	1	Purulia	4
Ghaziabad	1	TOTAL	.	207	76	866	449	.	..	
Hardoi	2			Total for w/c 20-4-57		162	68	872	457	
								Total for w/c 13-4-57		100	44	730	365			

Explanation of symbols used:—C. = Cases; D. = Deaths; .. = Nil; "N. R." = Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 27th April, 1957—concl'd.

CHOLERA		SMALLPOX		PLAGUE		CHOLERA		SMALLPOX		PLAGUE	
—	C.	D.	C.	D.	C.	D.	—	C.	D.	C.	D.
Grand Total for India (Excluding Andhra Pradesh Bihar Delhi Madhya Pradesh and Rajasthan)						POLIOMYELITIS					
						(Information based on patients treated in hospitals in important towns):					
702	301	2,123	728	Place	Fortnight ending	Cases	Deaths		
Corresponding Total for w/e 20-4-57											
740	291	2,074	677						
Corresponding Total for w/e 13-4-57											
266	104	1,884	598	Greater Bombay	27-4-57	1	..		

Explanation of Symbols used: C.=Cases; D.=Deaths; ..=Nil

Forwarded for information

NEW DELHI-2 (INDIA);
The 20th May, 1957.

H. R. SHARMA,
for Registrar General, India.

Prosper with the NATION

INVEST YOUR SAVINGS IN

GOVERNMENT OF INDIA'S *Small Savings Scheme*

and help India's

- COMMUNITY DEVELOPMENT PROGRAMME
- GREAT RIVER VALLEY PROJECTS
- SOCIAL WELFARE SCHEMES
- RAIL AND ROAD DEVELOPMENT

PUT YOUR MONEY IN ANY OF THESE ATTRACTIVE GUARANTEED SECURITIES

12-YEAR NATIONAL SAVINGS CERTIFICATES	Interest at 4.14 per cent per annum at maturity. Available in denominations of Rs. 5/- to Rs. 5,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR TREASURY SAVINGS DEPOSIT CERTIFICATES	3½ per cent interest paid annually. Available in multiples of Rs. 100/- upto Rs. 25,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR NATIONAL PLAN CERTIFICATES	Interest at 4½ per cent per annum at maturity. Issued in denominations of Rs. 25/-, Rs. 50/-, Rs. 100/- & Rs. 500/-. Individual holding upto Rs. 1,000/-.
POST OFFICE SAVINGS BANK ACCOUNTS	2 per cent interest added on deposits upto Rs. 10,000/- and 1½ per cent on balance upto Rs. 15,000/-.
15-YEAR ANNUITY CERTIFICATES	
Issue Prices: Rs. 3,500/-, Rs. 7,000/-, Rs. 14,000/- & Rs. 28,000/-. Individual holding upto Rs. 28,000/-.	Refunded together with compound interest at 3½ per cent per annum in the form of monthly payments spread over a period of fifteen years.

YOU ARE ASSURED OF A HANDSOME RETURN FREE OF INCOME-TAX

For further particulars and/or rules governing these investments please write to the National Savings Commissioner Simla, or to the Regional National Savings Officer of your State.

INVEST IN INDIA'S FUTURE.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 27th April, 1957

Deaths from :—

Town	Mid.-year Popn.-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Andhra Pradesh		"N.R."											
Assam		"N.R."											
Bihar													
Arrah†	68	22	16.8	2	—	9	6.9	..
Bettiah†
Bhagalpur	126	35	14.4	1	2	25	10.3	..
Chapra†	93	25	14.0	3	2	7	3.9	..
Darbhanga
Ganabad†
Dinapur	44	7	8.3	—	—	1	2	5	5.9	..
Gaya	149	46	16.1	19	3	8	..	42	14.7	..
Hazaribagh	39	16	21.3	6	8	10.7	..
Jamalpur	47	5	5.5	4	4.4	..
Jamshedpur	246	132	27.9	..	1	..	2	2	2	..	19	4.0	5
Katihar	51	—
Monghyr†	84	40	24.8	8	1	23	14.2	..
Muzaffarpur
Patna	330	160	25.2	4	..	1	..	10	1.6	..
Ranchi	130	18	7.2	..	1	..	6	16	6.4	..
TOTAL.	1,407	506	18.7	1	4	..	50	8	12	2	168	6.2	5
Bombay													
Ahmedabad .	889	656	38.4	..	5	..	33	10	102	..	423	24.7	123
Ahmednagar .	88	55	32.5	4	..	3	..	19	11.2	2
Amalner .	50	25	26.0	16	..	1	..	23	23.9	5
Baroda .	242	189	40.6	18	1	10	..	69	14.8	20
Barsi .	46	33	37.3	9	1	2	..	26	29.4	4
Bhusawal .	62	38	31.9	8	1	2	..	15	12.6	..
Broach†
Cambay .	41	33	41.9	1	1	7	8.9	1
Chalisgaon .	35	30	44.6	3	4	5.9	..
Dhulia .	89	38	22.2	3	1	1	1	13	7.6	5
Godra .	40	38	49.4	6	..	1	..	12	15.6	3
Greater Bombay .	3,449	2,259	34.1	..	33	..	4	45	175	6	932	14.1	226
Jalgaon†
Kalyan .	73	52	37.0	..	2	..	1	..	2	..	8	5.7	3
Kolhapur .	159	96	31.4	2	4	..	8	42	13.7	6
Malegaon .	63	49	40.4	23	3	1	..	29	23.9	10
Nagaj .	44	20	23.6	1	2	..	15	17.7	2
Nadlad .	71	55	40.3	22	29	21.2	8
Morvi .	43	9	10.9	..	1	..	1	2	2.4	1
Kamptee .	36	17	24.6	..	1	..	3	5	7.2	..
Parbhani .	40	6	7.8	3	..	1	..	5	6.5	1
Surrendra Nagar .	42	13	16.1	7	8.7	..
Nagpur .	528	396	39.0	..	4	..	39	5	29	1	179	17.6	57
Achalpur .	38	31	42.4	8	..	3	..	15	20.5	3
Rajkot .	167	68	21.2	10	..	5	..	41	12.8	12
Hinganghat .	35	26	38.6	..	6	..	18	24	35.7	9
Aurangabad .	73	8	5.7	5	3.6	..
Chanda .	43	32	38.7	3	9	10.9	5
Amravati .	101	135	69.5	..	3	..	15	2	2	..	37	19.0	7
Veraval, .	46	13	14.7	..	2	..	4	..	2	..	11	12.4	3

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B. = Births ; B.R. = Birth Rate ; C. = Cholera ; S. = Smallpox ; P. = Plague ; F. = Fevers ; I.D. = Dysentery and Diarrhoea ; R.D. = Respiratory Diseases ; M.D. = Maternal Deaths ; D.R. = Death Rate ; I.D. = Infantile Deaths (included in total deaths) ; .. = Nil Information. N.R. = Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 27th April, 1957—*contd.*

Town	Mid-year Popn. Est. (000)	B.	Deaths from:—								Total	D.R.*	I.D.
			B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.			
Bombay—contd.													
Porbander . . .	64	11	8.9	10	1	17	13.8	5
Nanded . . .	80	20	13.0	2	9	..	13	8.5	3
Bhavnagar . . .	157	88	29.1	10	2	10	..	35	11.6	13
Gondia . . .	45	27	31.2	2	..	2	..	8	9.2	4
Dhorajc . . .	47	25	27.7	5	2	13	14.4	2
Jamnagar . . .	122	7	3.0	..	1	..	4	1	3	..	27	11.5	7
Akola . . .	104	54	27.0	17	..	3	1	32	16.0	..
Nandurbar . . .	35	24	35.7	1	7	10.4	2
Nasik . . .	119	95	41.5	6	1	6	..	32	14.0	17
Navasari . . .	50	37	38.5	..	1	..	4	14	14.6	6
Pandharpur . . .	44	23	27.2	3	4	4	..	19	22.5	9
Patan . . .	47	25	27.7	2	..	4	..	20	22.1	1
Poona . . .	607	363	31.1	..	1	..	9	5	23	1	138	11.8	41
Sangli . . .	58	26	23.3	3	1	1	..	17	15.2	6
Satara . . .	40	39	50.7	1	..	2	..	12	15.6	3
Sholapur . . .	299	212	36.9	27	5	38	1	126	21.9	32
Surat . . .	250	191	39.7	8	3	17	..	109	22.7	26
Thana . . .	61	47	40.1	..	7	..	6	1	2	..	35	29.8	9
TOTAL	8,862	5,734	33.6	2	67	..	375	101	466	18	2,680	15.7	702

Delhi State

"NR"

Kerala

Trivandrum . . .	218	125	29.8	3	..	17	4.1	3
Quilon . . .	75	9	6.2	2	2	4	..	23	15.9	2
Alleppey . . .	148	49	17.2	2	5	2	..	29	10.2	3
Changanacherry . . .	41	31	39.3	4	5.1	1
Kottayam . . .	50	44	45.8	1	1	2	..	10	10.4	2
Mattancherry . . .	85	107	65.5	3	1	4	..	20	12.2	4
Ernakulam . . .	70	78	57.9	2	4	..	39	29.0	..
Trichur . . .	76	81	55.4	3	..	7	4.8	1
Cochin . . .	32	36	58.5	4	..	15	24.4	2
Kozhikode . . .	176	255	75.3	..	1	..	8	5	13	..	114	33.7	17
Palghat . . .	77	92	62.1	2	3	6	3	46	31.1	4
Cannanore . . .	47	33	36.5	1	..	1	..	8	8.9	3
Tellicherry . . .	42	38	47.0	1	..	3	..	24	29.7	2
TOTAL	1,137	978	44.7	..	1	..	20	19	49	3	356	16.3	44

Madhya Pradesh

"N.R."

Madras

Ambur . . .	44	45	53.2	1	1	1	..	6	7.7	..
Aruppukottai . . .	56	55	51.1	5	2	5	1	24	22.3	4
Bodinayakanpur†													
Chidambaram . . .	39	46	61.3	3	20	26.7	1
Colombatore . . .	234	231	51.3	1	20	33	..	123	27.3	24
Cuddalore . . .	74	105	73.8	4	3	3	3	35	24.6	5
Dindigul . . .	90	60	34.7	..	1	3	28	16.2	6
Erode . . .	67	66	51.2	..	8	3	5	1	44	34.1	8
Gobichetty Palayam†													

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used: B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rates; I.D.—Infantile Deaths (included in total deaths); ..—Nil information; N.R.—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 27th April, 1957—*contd.*

Deaths from :—

Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Madras—contd.													
Guddiyattam . . .	53	62	60.8	1	5	1	18	17.7	2
Kancheepuram . . .	90	93	53.7	1	5	7	1	31	17.9	7
Karaikudi . . .	44	39	46.1	3	1	13	15.4	..
Karur . . .	50	20	20.8	1	1	..	5	5.2	1
Kumbakonam . . .	105	60	29.7	..	4	..	4	3	9	4	58	28.7	9
Madras . . .	1,703	1,596	48.7	..	18	..	76	79	151	6	628	19.2	169
Mathurai . . .	427	359	43.7	..	1	..	12	11	31	..	165	20.1	34
Mayuram . . .	49	31	32.9	16	17.0	1
Malapalyam . . .	41	6	7.6	2	1	3	..	8	10.1	2
Nagapattinam . . .	60	64	55.5	4	1	3	1	35	30.3	8
Ootacamund . . .	48	45	48.8	2	1	..	16	17.3	7
Palni . . .	40	32	41.6	6	..	12	15.6	2
Pannamkottai . . .	45	54	62.4	..	3	..	1	..	2	1	25	28.9	5
Pattadakulam . . .	34	45	68.8	2	2	5	..	19	29.1	4
Pollachi . . .	51	51	52.0	5	3	..	17	17.3	3
Pudukottai . . .	50	85	88.4	2	1	1	2	2	26	27.0	3
Rajapalayam . . .	69	71	53.5	2	2	7	..	21	15.8	3
Srirangam† . . .													
Srivilliputtur . . .	44	51	60.3	5	1	5	1	20	23.6	4
Tanjore . . .	118	40	17.6	..	3	..	2	1	4	..	30	13.2	5
Tiruvannamalai . . .	45	38	43.9	..	2	1	3	1	20	23.1	6
Tirunelveli . . .	80	71	46.2	2	8	1	31	20.2	9
Tiruppur . . .	63	66	54.5	3	4	..	24	19.8	7
Tiruchirappalli . . .	251	109	22.6	16	6	6	7	..	106	22.0	9
Tuticorin . . .	111	106	49.7	1	9	9	..	43	20.1	13
Vaniyambadi . . .	43	36	43.5	1	1	2	..	8	9.7	3
Vellore . . .	124	151	63.3	2	2	13	2	62	26.0	20
Nagercoil . . .	94	31	17.1	..	2	1	5	1	17	9.4	2
Villupuram . . .	39	34	45.3	3	2	..	16	21.3	4
Virudunagar . . .	53	77	75.5	2	..	3	..	16	15.7	4
TOTAL . . .	4,628	4,131	46.4	18	42	..	138	177	348	30	1,786	20.1	394

Mysore

Bangalore . . .	977	335	17.8	..	3	..	4	52	91	..	238	12.7	..
Mysore . . .	294	132	23.3	10	4	1	..	76	13.4	..
Kolar Gold Fields . . .	173	83	24.9	..	2	..	1	1	2	..	16	4.8	..
Bellary . . .	78	40	26.7	1	1	1	..	16	10.7	..
Darangere . . .	69	54	40.7	5	2	29	21.9	..
Shimoga . . .	57	21	19.2	3	6	5.5	..
Tumkur . . .	44	19	22.5	2	2	2.4	..
Chittaldurga . . .	31	12	20.1	6	10.1	..
Channarayana . . .	110	93	44.0	4	..	3	..	29	13.7	..
Bijapur . . .	75	17	11.8	1	..	1	..	6	4.2	..
Dharwar . . .	76	30	20.5	7	..	19	13.0	..
Bagalkot . . .	36	21	30.3	3	1	10	14.4	..
TOTAL . . .	2,020	857	22.1	..	5	..	40	61	106	..	453	11.7	..

Orissa

"N.R."

Pondicherry . . .	68	85	65.0	..	1	..	2	1	3	..	22	16.8	17
-------------------	----	----	------	----	---	----	---	---	---	----	----	------	----

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.=Births ; B.R.=Birth Rate ; C.=Cholera ; S.=Smallpox ; P.=Plague ; F.=Fever ; D.D.=Dysentery and Diarrhoea ; R.D.=Respiratory Diseases ; M.D.=Maternal Deaths ; D.R.=Death Rate ; I.D.=Infantile Deaths (included in total deaths) ; ..=Nil information ; N. R.=Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 27th April, 1957—*contd.*

Deaths from :—

Town	Mid.-year Popu. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Punjab (I)													
Ambala	65	43	34.4	2	5	14	11.2	5
Amritsar	343	192	29.1	6	29	3	83	12.6	22
Batala	62	20	16.8	4	1	2	..	10	8.4	4
Bhatinda	39	9	12.0	2	2	2.7	..
Bhiwani	57	43	39.2	10	2	1	..	21	19.2	8
Ferozepore	45	16	18.5	2	1	..	4	4.6	1
Hissar	39	28	37.3	3	7	9.3	2
Maler kotla	34	22	33.6	7	..	1	..	8	12.2	..
Hoshiarpur	51	18	18.4	6	6.1	2
Jullundur	200	113	29.4	8	3	4	..	20	5.2	9
Karnal	72	33	23.8	10	2	3	..	31	22.4	4
Patiala	111	86	40.3	17	1	3	..	45	21.1	..
Ludhiana	176	101	29.8	13	22	6.5	..
Moga	41	15	19.0	5	7	8.9	1
Panipat	64	25	20.3	5	..	1	..	6	4.9	4
Pathankot	34	16	24.5	4	1	1	..	6	9.2	2
Rewari	36	20	28.9	4	1	2	..	7	10.1	..
Rohtak	105	72	35.7	9	..	7	..	23	11.4	11
Simla	50	30	31.2	2	..	6	6.2	1
Sonapat	34	10	15.3	5	..	1	..	8	12.2	1
TOTAL	1,658	912	28.6	108	24	58	3	336	10.5	83
Rajasthan													
"N.R."													
Ajmer	223	81	18.9	..	1	..	12	3	5	..	38	8.9	6
Beawar	59	7	6.2	..	7	..	9	1	3	..	25	22.0	8
Bikaner	117	40	17.8	..	3	..	2	..	6	..	20	8.9	2
Churu	48	6	6.5	2	2.2	..
Ganganagar	47	3	3.3	..	3	1	..	7	7.7	1
Jaipur	353	29	4.3	..	1	..	29	6	3	1	116	17.1	45
Kotah	72	1	0.7	4	..	1	..	9	6.5	1
Tonk	45	1	4	4.6	..
TOTAL	964	167	9.0	..	15	..	57	10	19	1	221	11.9	63
Uttar Pradesh													
Agra	375	328	45.5	4	37	..	59	8.2	16
Allahabad	349	160	23.8	1	1	58	1	86	12.8	16
Amroha	61	54	46.0	7	3	6	..	26	22.2	8
Bahraich	47	15	16.6	2	..	1	..	5	5.5	..
Banaras	383	312	42.4	46	10	20	..	169	23.0	40
Ballia†													
Banda†													
Bareilly	203	37	9.5	4	2	8	..	15	3.8	5
Budaun†													
Basti†													
Bulandshahr†													
Chandausi	41	21	29.2	8	2	4	..	15	19.0	1
Dehra Dun	146	55	19.6	2	8	2.8	1
Etawah†													
Faizabad-Ayodhya	88	16	9.5	2	1	6	3.5	1
Farrukhabad†													
Fatehgarh	82	37	23.5	1	6	2	6	..	17	10.8	3
Ferozabad†													

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B. = Births; B.R. = Birth Rate; C. = Cholera; S. = Smallpox; P. = Plague; F. = Fever; D.D. = Dysentery and Diarrhoea; R.D. = Respiratory Diseases; M.D. = Maternal Deaths; D.R. = Death Rate; I.D. = Infantile Deaths (included in total deaths); .. = Nil information; "N.R." = Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 27th April, 1957—*contd.*

Deaths from 1—

Town	Mid-year Popn.-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Uttar Pradesh—<i>contd.</i>													
Ghaziabad . . .	46	27	30.5	3	..	1	..	8	9.0	..
Ghaziipur . . .	36	19	27.4	3	2	1	..	10	14.4	..
Gorakhpur . . .	140	46	17.1	4	2	3	..	18	6.7	4
Gonda . . .	35	4	6.0	3	4	6.0	..
Hapur . . .	49	20	21.2	7	..	2	..	10	10.6	6
Hardwar . . .	64	22	17.9	11	2	5	..	30	24.4	6
Hathras . . .	62	30	25.2	11	2	8	..	29	24.3	15
Jaunpur . . .	56	30	27.9	3	..	4	..	12	11.1	1
Jhansi . . .	116	46	20.6	22	30	13.4	14
Kanpur . . .	734	381	27.0	121	22	42	8	315	22.3	80
Kasganj . . .	34	7	10.7	2	1	5	7.7	1
Khurja . . .	41	11	14.0	6	1	1	..	13	16.5	6
Koil-Allgarh . . .	150	49	17.0	6	1	1	..	16	5.5	3
Lucknow . . .	494	279	29.4	19	14	12	..	90	9.5	27
Mathura . . .	110	55	26.0	8	1	6	..	26	12.3	5
Mau-Nath Bhanjan †													
Meerut . . .	185	68	19.1	6	3	13	..	34	9.6	11
Mirzapur Vindhyachal	97	35	18.8	8	4	6	..	21	11.3	2
Moradabad . . .	164	80	25.4	6	3	8	..	35	11.1	10
Muzaffarnagar . . .	74	28	19.7	5	1	1	..	11	7.7	1
Pilibhit . . .	45	16	18.5	4	3	1	..	12	13.9	4
Rampur†													
Saharanpur . . .	162	103	33.2	26	1	35	11.2	13
Sambhal . . .	65	42	33.6	..	1	..	4	4	4	..	17	13.6	4
Shahjahanpur . . .	99	48	25.2	7	..	2	..	16	8.4	5
Sitapur . . .	49	13	13.8	5	..	1	..	7	7.4	3
TOTAL . . .	4,882	2,496	26.6	1	2	..	378	91	262	10	1,210	12.9	314

West Bengal

"N. R."

ARREAR RETURNS

Andhra Pradesh

For w/s 13-4-57

Adoni . . .	63	45	37.1	1	3	2	..	14	11.6	5
Anantpur . . .	38	40	54.7	1	3	15	20.5	3
Anakpalli . . .	46	14	15.8	2	2	2	..	17	19.2	..
Bhimavaram . . .	36	21	30.3	..	2	1	..	1	10	14.4	2
Chittore . . .	45	34	39.3	3	..	1	2	7	8.1	..
Cuddapah . . .	42	39	48.3	..	1	..	1	..	3	1	12	14.9	1
Ellore . . .	99	39	20.5	6	4	2	2	34	17.9	9
Gudivada . . .	6	21	30.3	..	2	..	1	2	14	20.2	2
Guntur . . .	147	144	50.9	..	2	..	2	1	2	..	39	13.8	14
Guntakal . . .	37	31	43.6	3	1	8	11.2	2
Kakinada . . .	113	87	40.0	4	..	2	..	19	8.7	3
Kurnool . . .	68	86	65.8	..	1	3	4	2	39	29.8	5
Masulipatam . . .	88	94	55.5	..	1	..	2	29	17.1	8
Nandyal . . .	37	26	36.5	2	2	2	..	13	18.3	2
Nellore . . .	95	99	54.2	..	1	..	5	1	..	1	45	24.6	13
Proddatur . . .	42	27	33.4	..	1	..	2	..	1	..	13	16.1	5
Rajahmundry . . .	122	66	28.1	9	32	13.6	7
Tenali . . .	67	32	24.8	..	1	..	1	..	2	..	15	11.6	2

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B. = Births ; B. R. = Birth Rate ; C. = Cholera ; S. = Smallpox ; P. = Plague ; F. = Fevers ; D. D. = Dysentery and Diarrhoea ; R. D. = Respiratory Diseases ; M. D. = Maternal Deaths ; D. R. = Death Rate ; I. D. = Infantile Deaths (included in total deaths) ; .. = Nil information ; "N.R." = Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 27th April, 1957—*contd.*

Deaths from :—														
Town	Mid-year Popn.-Est. (000)	B.	B.R. ^a	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.	I.D.	
Andhra Pradesh—contd.														
Vijayawada . . .	201	143	37.0	..	2	..	12	2	5	..	53	13.7	16	
Visakhapatnam . .	128	45	18.3	..	4	..	5	3	7	..	32	13.0	4	
Vizianagaram . . .	75	31	21.5	3	..	4	..	14	9.7	3	
Warrangal . . .	155	24	8.1	..	1	..	9	16	5.4	..	
TOTAL . . .	1,780	1,188	34.7	..	18	..	73	25	40	12	490	14.3	106	
Supplementary for w/e 23-3-1957														
Adoni . . .	63	50	41.3	1	1	1	1	12	9.9	4	
Anantpur . . .	38	31	42.4	2	7	9.6	2	
Kakinada . . .	113	97	44.6	12	31	14.3	3	
Chittoor . . .	45	20	23.1	2	..	2	1	8	9.2	1	
Supplementary for w/e 30-3-1957														
Masulipatam . . .	88	69	40.8	..	1	..	3	2	4	..	28	16.5	11	
Eluru . . .	99	61	32.0	..	2	..	6	1	5	2	43	22.6	12	
Assam														
For w/e 13-4-1957														
Gauhati . . .	51	1	1.0	..	1	..	6	15	15.3	1	
Dibrugarh . . .	46	2	2.3	
Silchar . . .	43	23	27.8	2	3	3.6	1	
TOTAL . . .	140	26	9.7	..	1	..	8	18	6.7	2	
Rajasthan														
w/e 5-1-1957														
Jaipur . . .	353	110	16.2	..	11	..	33	14	4	3	105	15.5	40	
Alwar . . .	60	29	25.1	2	..	4	..	19	16.5	..	
Bharatpur . . .	38	5	6.8	3	3	4.1	..	
Tonk . . .	45	6	6.9	2	..	1	..	5	5.8	..	
Jodhpur . . .	200	49	12.7	..	5	..	23	3	4	3	45	11.7	13	
Bikaner . . .	117	50	22.2	3	1	6	2	30	13.3	5	
Churu . . .	48	2	2.2	
Ganganagar . . .	47	1	1.1	..	2	..	4	10	11.1	..	
Kotah . . .	72	22	15.9	6	..	2	..	10	7.2	2	
Udaipur . . .	106	5	2.5	8	3.9	2	
Beawar . . .	59	25	22.0	..	2	..	20	..	9	3	45	39.7	9	
Ajmer . . .	223	63	14.7	8	..	17	..	36	8.6	5	
TOTAL . . .	1,368	367	20	..	104	18	47	11	316	31.6	76	
For w/e. 12-1-1957														
Jaipur . . .	353	74	10.9	..	12	..	31	8	7	4	101	14.9	43	
Alwar . . .	60	22	19.1	1	6	5.2	1	
Bharatpur . . .	38	4	5.5	1	2	2.7	1	
Tonk . . .	45	3	3.5	..	3	7	8.1	..	
Jodhpur . . .	200	52	13.5	..	3	..	17	3	4	..	40	10.4	5	
Bikaner . . .	117	25	11.1	3	..	5	..	17	7.6	2	
Churu . . .	48	2	2.2	1	..	2	2.2	..	
Ganganagar . . .	47	3	..	4	11	12.2	..	
Kotah . . .	72	8	5.8	2	..	1	..	11	7.9	..	
Udaipur . . .	106	9	4.4	15	7.4	2	
Beawar . . .	59	24	21.2	6	..	6	..	14	12.3	4	
Ajmer . . .	223	76	17.7	9	..	14	..	35	8.2	5	
TOTAL . . .	1,368	299	21	..	74	11	38	4	261	..	63	

^a In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 27th April, 1957—*contd.*

Deaths from:—

Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Rajasthan—<i>contd.</i>													
<i>w/e 19-1-1957</i>													
Jaipur . . .	353	81	11.9	..	18	..	31	5	10	3	100	14.7	41
Alwar . . .	60	38	32.9	1	..	3	..	10	8.7	3
Bharatpur . . .	38	4	5.5	2	2	2.7	..
Tonk . . .	45	4	4.6
Jodhpur . . .	200	48	12.5	..	2	..	10	4	4	..	30	7.8	7
Bikaner . . .	117	35	15.6	2	2	11	..	26	11.6	1
Churu . . .	48	2	2.2	1	1	1.1	..
Ganganagar . . .	47	1	1.1	2	..	3	..	7	7.7	..
Kotah . . .	72	1	0.7	1	..	1	..	3	2.2	..
Udaipur . . .	106	15	7.4	1	..	2	..	7	3.4	..
Beawar . . .	59	18	15.9	11	..	2	..	19	16.7	2
Ajmer . . .	223	64	14.9	11	3	14	..	46	10.7	11
TOTAL . . .	1,368	311	20	..	73	14	50	3	251	..	65
<i>w/e 6-4-1957</i>													
Beawar . . .	59	20	17.6	..	3	..	7	..	4	..	18	15.9	7
Bharatpur . . .	38	1	1.4	..	2	..	2	1	5	6.8	1
Churu . . .	48	7	7.6	1	2	2.2	1
Ganganagar . . .	47	1	1.1	..	2	..	6	10	11.1	2
Jaipur . . .	353	65	9.6	34	4	7	2	122	18.0	49
Jodhpur . . .	200	23	6.0	..	3	..	4	..	1	..	12	3.1	4
Kotah . . .	72	19	13.7	3	..	1	..	8	5.8	2
Tonk . . .	45	2	2.3	1	1.2	..
Udaipur . . .	106	23	11.3	..	2	..	1	1	1	..	35	17.2	5
TOTAL . . .	968	161	12	..	58	6	14	2	213	..	17
<i>w/e 13-4-1957</i>													
Ajmer . . .	223	77	18.0	..	1	..	9	..	4	..	24	5.6	4
Beawar . . .	59	13	11.5	..	3	..	13	1	4	..	27	23.8	9
Bharatpur . . .	38	5	6.8	..	1	..	1	2	2.7	..
Ganganagar . . .	47	4	4.4	..	4	..	5	1	12	13.3	3
Jaipur . . .	353	51	7.5	32	5	6	2	108	15.9	48
Kotah . . .	72	13	9.4	..	1	..	8	12	8.7	4
Tonk . . .	45	2	2.3	2	2.3	..
TOTAL . . .	837	165	10	..	68	7	14	2	187	..	68
<i>w/e 2-2-1957</i>													
Jodhpur . . .	200	39	10.1	..	10	..	6	2	3	2	26	6.8	13
<i>w/e 9-2-1957</i>													
—do— . . .	200	44	11.4	..	8	..	7	2	3	3	29	7.5	6
<i>w/e 16-2-1957</i>													
—do— . . .	200	31	8.1	..	7	..	9	5	6	4	44	11.4	8
<i>w/e 23-2-1957</i>													
—do— . . .	200	28	7.3	..	5	..	8	3	4	1	27	7.0	3
<i>w/e 30-3-1957</i>													
Alwar . . .	60	25	21.7	..	1	..	2	..	2	..	8	6.9	3
Udaipur . . .	106	7	3.4	1	..	3	1.5	1

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil Information;

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 27th April 1957—*contd.*

Town		Mid-year Pop'n, Est. (000)	Deaths from :—										Total	D.R.*	I.D.
			B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.				
Rajasthan—contd.															
w/e 2-3-1957															
Jodhpur	.	200	38	9.9	..	5	..	6	5	3	2	27	7.0	7	
w/e 9-3-1957															
—do—	.	200	33	8.6	..	2	..	4	4	2	1	20	5.2	5	
w/e 16-3-1957															
—do—	.	200	31	8.1	..	3	..	7	3	5	3	34	8.8	3	
w/e 23-3-1957															
—do—	.	200	38	9.9	..	9	..	3	4	2	1	27	7.0	5	
w/e 30-3-1957															
—do—	.	200	32	8.3	..	3	..	9	1	1	2	28	7.3	8	
Madhya Pradesh															
w/e 2-2-1957															
Indore	.	368	251	35.5	3	1	12	..	60	8.5	18	
Greater Gwalior	.	273	79	15.0	9	..	1	..	25	4.8	4	
Ujjain	.	156	44	14.7	5	24	8.0	8	
Sagar	.	75	15	10.4	3	2	1	..	10	6.9	..	
Khandwa	.	59	15	13.2	4	11	9.7	..	
Bushanpur	.	79	46	30.3	8	..	6	..	20	13.2	..	
Bilaspur	.	40	45	58.5	1	..	1	..	14	18.2	4	
Mandsaur	.	41	7	8.9	2	2	2.5	..	
Raigarh	.	35	15	22.3	3	4	5.9	..	
Total		1,126	517		38	3	21	..	170		34	
w/e 2-3-1957															
Indore	.	368	236	33.3	4	4	11	..	83	11.7	23	
Greater Gwalior	.	273	82	15.6	..	1	..	6	..	3	..	17	3.2	..	
Ujjain	.	156	45	15.0	8	32	10.7	8	
Chhindwara	.	31	14	23.5	2	8	13.4	4	
Bilaspur	.	40	16	20.8	..	1	..	4	10	13.0	..	
Mandsaur	.	41	14	17.8	1	3	3.8	..	
TOTAL	.	909	407		..	2	..	25	4	14	..	153		35	
w/e 9-3-1957															
Indore	.	368	215	30.4	12	1	14	..	76	10.7	23	
Greater Gwalior	.	273	45	8.6	2	1	2	..	18	3.4	1	
Ujjain	.	156	39	13.0	5	18	6.0	3	
Khandwa	.	59	20	17.6	8	..	3	..	13	11.5	..	
Bushanpur	.	79	76	50.0	6	..	6	..	18	11.8	..	
Chhindwara	.	31	20	33.6	9	15.1	3	
Bilaspur	.	40	27	35.1	4	4	5.2	1	
Mandsaur	.	41	10	12.7	1	2	2.5	..	
TOTAL	.	1,047	452		38	2	25	..	158		31	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

Explanation of symbols used :—B. = Births ; B. R. = Birth Rate ; C. = Cholera ; S. = Smallpox ; P. = Plague ; F. = Fevers ; D. D. = Dysentery and Diarrhoea ; R. D. = Respiratory Diseases ; M.D. = Maternal Deaths ; D. R. = Death Rate ; I.D. = Infantile Deaths (included in total deaths) ; .. = Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 27th April, 1957—*concl'd.*

Town	Mid.-year Popn. Est. (000)	B.	B.R.*	Deaths from :—								Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.				
Kerala				w/c 13-4-1957										
Trivandrum	218	181	43.2	2	2	12	1	40	9.5	6	
Quilon	75	23	16.0	..	1	1	2	..	12	8.3	4	
Alleppey	148	71	25.0	5	..	24	8.4	4	
Changanacherry	41	14	17.8	1	3	3.8	..	
Mattancherry	85	35	21.4	1	..	1	..	10	6.1	2	
Ernakulam	70	54	40.1	3	..	1	..	13	9.7	..	
Trichur	76	120	82.1	3	..	11	7.5	2	
Kozhikode	176	223	65.9	9	3	9	1	73	21.6	10	
Palghat	77	62	41.9	—	3	4	..	22	14.9	3	
Cannanore	47	14	15.5	2	..	1	..	12	13.3	..	
Tellicherry	42	27	33.4	1	2	7	8.7	1	
Cochin	32	30	48.8	1	..	2	..	18	29.3	..	
TOTAL	1,037	854	19	9	41	4	245	..	34	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

Explanation of symbols used :—B. = Births ; B.R. = Birth Rate ; C. = Cholera ; S. = Smallpox ; P. = Plague ; F. = Fevers ; D.D. = Dysentery and Diarrhoea ; R.D. = Respiratory Diseases ; M.D. = Maternal Deaths ; D.R. = Death Rate ; I.D. = Infantile Deaths (included in total deaths) ; .. = Nil information ; "N.R." = Information not received.

REMARKS

The figures of births and deaths shown in this statement for week ending the 27th April, 1957 relate to 182 towns with an estimated population of 25,626 thousands. Information about Andhra Pradesh, Assam, Delhi, Madhya Pradesh, Orissa and West Bengal could not be included. The total number of towns is 318 and their population is 41,584 thousands. Thus 57% of the total number of towns representing 62% of the total population

is covered in this statement. The number of births and deaths recorded in these towns were 15,866 and 7,232 representing birth and death rates of 32.2 and 14.7 per thousand of population respectively.

No town recorded a high death rate of 50 or more per thousand of population. The following table gives the position by States :—

States	Current w/e 27-4-57		Corresponding w/e last year	
	B.R.	D.R.	B.R.	D.R.
Bihar	18.7	6.2	15.9	7.6
Bombay	33.6	15.7	29.5	14.1
Kerala	44.7	16.3	44.1	9.3
Madras	46.4	20.1	46.5	17.6
Mysore	22.1	11.7	31.3	12.3
Pondicherry	65.0	16.8	†	†
Punjab	28.6	10.5	26.8	8.6
Rajasthan	9.0	11.9	8.5	11.8
Uttar Pradesh	26.6	12.9	29.5	15.5
India	32.2	14.7	32.2	14.0

† Figures not available.

* 8 States and one Centrally administered.

NEW DELHI-2 (INDIA);

The 20th May, 1957.

}

H. R. SHARMA,
for Registrar General, India